

Material Safety Data Sheet

Revision Date: 08-01-2016

Kit Name: VitroViewTM Nissl Stain Kit

Catalog#: VB-3010

Components:

VB-3010-1	Cresyl Violet Solution
VB-3010-2	Alcohol/chloroform Solution

VB-3010 Nissl Stain Kit MSDS Page 1/17

1. Identification of the Substance/Mixture and Company

Product Name Cresyl Violet Solution

Catalog# VB-3010-1
Product Description Kit Component

Manufacturer/Supplier GeneCopoeia, Inc. 9620 Medical Center Dr., Rockville, MD 20850

Tel and Fax Number Phone: 301-762-0888; Toll free: 1-866-360-9531; Fax: 301-762-

3888

Hazards Identification

Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

Classification according to Directive 67/548/EEC or Directive 1999/45/EC: Not applicable.

Information concerning particular hazards for human and environment: The product does not need to be labelled due to the calculation procedure of international guidelines.

Classification system: The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

Label elements

GHS label elements Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Classification system:

NFPA ratings (scale 0 - 4)

Health = 1

Fire = 0

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 1

Fire = 0

Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

VB-3010 Nissl Stain Kit MSDS Page 2/17

2. Composition

Mixtures Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components: Void

CAS: 105-10-54-0 EINECS:	Cresyl Violet Acerate	<0.2%
234-043-3		

3. First Aid Measures

Description of first aid measures

After inhalation: Remove person to fresh air. Get medical attention if symptoms worsen **After skin contact:** Generally the product does not irritate the skin. Remove contaminated clothing and wash contact area with mild soap and copious amounts of water. Get medical attention if irritation develops.

After eye contact: Immediately flush eyes with copious amounts of water and get immediate medical attention.

After swallowing: Rinse with water and get immediate medical attention.

Information for doctor: Most important symptoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5. Firefighting Measures

Extinguishing media

Suitable extinguishing agents: Water, CO2, sand, extinguishing powder.

For safety reasons unsuitable extinguishing agents: N/A

Special hazards arising from the substance or mixture: No further relevant information

available. Advice for firefighters

Protective equipment: No special measures required

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Do not allow product to reach sewage system or any water course. Prevent seepage into sewage system, workpits and cellars. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents

Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

VB-3010 Nissl Stain Kit MSDS Page 3/17

7. Handling and Storage

Handling

Precautions for safe handling: No special measures required.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

Specific end use(s): No further relevant information available.

8. Exposure Controls/Personal Protection

Additional information about design of technical systems: No further data; see item 7. **Control parameters**

Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that need to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls:

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Breathing equipment: Not required.

Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation The glove material must be impermeable and resistant to the product/ the substance/ the preparation. Due to lack of testing, no recommendation for the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material requires consideration of the penetration times, rates of diffusion and the degradation material of gloves.

Material of gloves: The selection of suitable gloves depends on the material and quality, and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and must therefore be checked prior to the application.

Penetration time of glove material: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling.

VB-3010 Nissl Stain Kit MSDS Page 4/17

9. Physical and Chemical Properties				
General Information				
Appearance				
Form:	Fluid			
Color:	Colorless			
Odor:	Odorless			
Odor threshold	Not determined			
pH-value	Not determined			
Change in condition				
Melting point/Melting range:	Undetermined			
Boiling point/Boiling range:	100°C (212 °F)			
Flash point:	Not applicable.			
Flammability (solid, gaseous)	Not applicable.			
Ignition temperature:				
Decomposition temperature: Not determined.				
Auto igniting:	Product is not self-igniting.			
Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits:				
Lower	Not determined			
Upper	Not determined			
Vapor pressure at 20°C (68 °F)	Not determined.			
Density at 20°C (68 °F):	Not determined.			
Relative density:	Not determined.			
Vapour density:	Not determined.			
Evaporation rate:	Not determined.			
Solubility in / Miscibility with Water:	Fully miscible.			
Segregation coefficient (n-octonol/water)	Not determined			
Dynamic:	Not determined			
Kinematic:	Not determined			
Other information	No further relevant information available.			

10 Stability and Reactivity

Reactivity

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions: No dangerous reactions known. **Conditions to avoid:** No further relevant information available.

Incompatible materials: Strong oxidizers, strong bases. **Hazardous decomposition products:** Carbon oxides.

VB-3010 Nissl Stain Kit MSDS Page 5/17

11. Toxicology Information

Information on toxicological effects

Acute toxicity

Primary irritant effect

On the skin: May cause irritation.

On the eye: May cause irritation and redness. Sensitization: No sensitizing effects known. Additional toxicological information

Carcinogenic categories

IARC (International Agency for Research on Cancer): unknown.

NTP (National Toxicology Program): None of the ingredients are listed.

12. Ecological Information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available.

Behavior in environmental systems

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

Other adverse effects: No further relevant information available.

13. Disposal Considerations

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

VB-3010 Nissl Stain Kit MSDS Page 6/17

14. Transport Information

UN-Number DOT, ADR, IMDG, IATA	Void
UN proper shipping name	Void
DOT, IATA	
ADR	Void
IMDG	Void
Transport hazard class	Void
DOT, ADR, IMDG, IATA	
Packing group DOT, ADR, IMDG,	Void
IATA	
Environmental hazards Marine pollutant	No
Special precautions for user	Not applicable
Transport in bulk according to Annex II	Not applicable
of MARPOL73/78 and the IBC Code	
UN "Model Regulation"	-

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA

Section 355 (extremely hazardous substances)	None of the ingredients are listed.
Section 313 (Specific toxic chemical listings)	10510-54-0 Cresyl Etcht Violet
TSCA (Toxic Substances Control Act)	All ingredients are listed.
Proposition 65 Chemicals known to cause cancer	None of the ingredients is listed.
Chemicals known to cause reproductive toxicity for	None of the ingredients are listed
females	
Chemicals known to cause reproductive toxicity for	None of the ingredients are listed
males	
Chemicals known to cause developmental toxicity	10510-54-0 Cresyl Etcht Violet
Carcinogenic categories EPA (Environmental	None of the ingredients are listed
Protection Agency)	
TLV (Threshold Limit Value established by ACGIH)	None of the ingredients are listed.
NIOSH-Ca (National Institute for Occupational Safety	None of the ingredients are listed.
and Health)	
OSHA-Ca (Occupational Safety & Health	None of the ingredients are listed
Administration)	

GHS label elements Void Hazard pictograms Void Signal word Void Hazard statements Void

VB-3010 Nissl Stain Kit MSDS Page 7/17

16. Other Information

VB-3010-1 Cresyl Violet Solution

This information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of the material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

Copyright © 2016 GeneCopoeia, Inc. All rights reserved. No part of these pages may be used for any purpose other than personal use. Therefore, reproduction, modification, storage in a retrieval system or retransmission, in any form or by any means, for reasons other than personal use, is strictly prohibited without prior written permission.

VB-3010 Nissl Stain Kit MSDS Page 8/17

1. Identification of the Substance/Mixture and Company

Product Name Alcohol/chloroform Solution

Catalog# VB-3010-2
Product Description Kit Component

Manufacturer/Supplier GeneCopoeia, Inc. 9620 Medical Center Dr., Rockville, MD 20850

Tel and Fax Number Phone: 301-762-0888; Toll free: 1-866-360-9531; Fax: 301-762-

3888

2. Hazards Identification

Classification of the substance or mixture

GHS02: Flame

Flam. Liq. 2 H225: Highly flammable liquid and vapor.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC F; Highly flammable

R11: Highly flammable.

Information concerning particular hazards for human and environment: The product must be labelled due to the calculation procedure of international guidelines.

Classification system: The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

Label elements

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms: GHS02

Signal word: Danger

Hazard statements: Highly flammable liquid and vapor.

Precautionary statements If medical advice is needed have product container or label on hand. Keep out of reach of children. Read label before use. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Wear protective gloves/protective clothing/eye protection/face protection. Ground/bond container and receiving equipment.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)

Health = 1

Fire = 3

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 1

Fire = 3

Reactivity = 0

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

VB-3010 Nissl Stain Kit MSDS Page 9/17

3. Composition

Chemical characterization:

Mixtures Description: Mixture of the substances listed below with nonhazardous additions.

Component	CAS#	Volume%
Chloroform	67-66-3 >99	50%
Ethyl alcohol	64-17-5	50%

4. First Aid Measures

Description of first aid measures

General information: Inhalation may cause anesthesia. Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

After inhalation: Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

After skin contact: Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

After eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.

After swallowing: Do not induce vomiting. Call a physician or Poison Control Center immediately.

Information for doctor: Treat symptomatically.

5. Firefighting Measures

Extinguishing media

Suitable extinguishing agents: Substance is nonflammable; use agent most appropriate to extinguish surrounding fire

Special hazards arising from the substance or mixture: Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

Advice for firefighters

Protective equipment: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Ensure adequate ventilation. Use personal protective equipment. Wear respiratory protection. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

Environmental precautions: Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up: n Up Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Reference to other sections

- No dangerous substances are released. See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

VB-3010 Nissl Stain Kit MSDS Page 10/17

See Section 13 for disposal information.

7. Handling and Storage

Handling: Wear personal protective equipment. Use only under a chemical fume hood. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Do not ingest. Keep away from open flames, hot surfaces and sources of ignition.

Storage: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Store under an inert atmosphere. Protect from moisture.

8. Exposure Controls/Personal Protection

Exposure Guidelines

Exposure Guidennes			
Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Chloroform	TWA: 10 ppm	(Vacated) TWA: 2	IDLH: 500 ppm
		ppm (Vacated) TWA:	STEL: 2 ppm STEL:
		9.78 mg/m ³ Ceiling:	9.78 mg/m^3
		50 ppm Ceiling: 240	
		mg/m3	
Ethyl alcohol	STEL: 1000 ppm	(Vacated) TWA: 1000	IDLH: 3300 ppm
		ppm (Vacated) TWA:	TWA: 1000 ppm
		1900 mg/m^3 TWA:	TWA: 1900 mg/m ³
		1000 ppm TWA:	
		1900 mg/m^3	

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Chloroform	TWA: 5 ppm TWA: TWA: 10 ppm TWA:		TWA: 10 ppm
	24.4 mg/m^3	50 mg/m ³ STEL: 50	
		ppm STEL: 225	
		mg/m^3	
Ethyl alcohol	TWA: 1000 ppm	TWA: 1000 ppm	STEL: 1000 ppm
	TWA: 1880 mg/m ³	TWA: 1900 mg/m ³	

Legends:

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures: Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tightly fitting safety goggles. Face-shield.

Skin and body protection: Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. **Hygiene Measures:** Handle in accordance with good industrial hygiene and safety practice.

VB-3010 Nissl Stain Kit MSDS Page 11/17

9. Physical and Chemical Properties

General Information	
Appearance	
Form:	Fluid
Color:	Colorless
Odor:	aromatic slight sweet
Odor threshold	Not determined
pH-value	Not determined
Change in condition	
Melting point/Melting range:	-63 °C / -81.4 °F
Boiling point/Boiling range:	61 - 61.5 °C / 141.8 - 142.7 °F
Flash point:	Not applicable.
Flammability (solid, gaseous)	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	No information available
Danger of explosion:	Not determined.
Explosion limits:	
Lower	No data available
Upper	No data available
Vapor pressure at 20°C (68 °F)	213 mbar
Specific Gravity	1.480
Relative density:	Not determined.
Vapour density:	4.12 (Air = 1.0)
Evaporation rate:	Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
Segregation coefficient (n-octonol/water)	Not determined
Dynamic:	Not determined
Kinematic:	Not determined
Other information	No further relevant information available.

10 Stability and Reactivity

Reactive Hazard: None known, based on information available

Stability: Stable under normal conditions. Unstable upon depletion of inhibitor. Light sensitive. **Conditions to Avoid:** Incompatible products. Heat, flames and sparks. Excess heat. Exposure to light. Protect from moisture.

Incompatible Materials: Strong oxidizing agents, Alkali metals, Aluminium, Acetone **Hazardous Decomposition Products**: Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride gas, phosgene

Hazardous Polymerization: Hazardous polymerization does not occur.

Hazardous Reactions: None under normal processing.

VB-3010 Nissl Stain Kit MSDS Page 12/17

11. Toxicology Information

Acute Toxicity

Product Information Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Chloroform	LD50 = 450 mg/kg (Rat) LD50 = 695 mg/kg (Rat	LD50 > 20 g/kg (Rabbit	47,702 mg/L (Rat) 4 h
Ethyl alcohol	3450 mg/kg (Mouse)	Not listed	20000 ppm/10H (Rat)

Toxicologically Synergistic Products: No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation: Irritating to eyes and skin **Sensitization**: No information available

Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a

carcinogen. Limited evidence of a carcinogenic effect. Ethanol has been shown to be

carcinogenic in long-term studies only when consumed and abused as an alcoholic beverage.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Chloroform	67-66-3	Group	Reasonably	A3	X	A3
		2B	Anticipated			
Ethyl	64-17-5	Group 1	Known	A3	X	Not list
alcohol						

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists):

A1 - Known Human Carcinogen.

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen

A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects: No information available

Reproductive Effects: Suspect reproductive hazard - contains material which may injure unborn

child.

Developmental Effects: No information available.

VB-3010 Nissl Stain Kit MSDS Page 13/17

Teratogenicity No information available.

STOT - single exposure Respiratory system Central nervous system (CNS)

STOT - repeated exposure Heart Liver Kidney Blood

Aspiration hazard: No information available

Symptoms / effects: Both acute and delayed symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing: May cause decreases in blood pressure and other cardiac effects: Symptoms may be delayed

Endocrine Disruptor Information: No information available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals. See actual entry in RTECS for complete information.

12. Ecological Information

Ecotoxicity

Do not empty into drains. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater	Freshwater Fish	Microtox	Water Flea
	Algae			
Chloroform	EC50 = 560	LC50: = 300 mg/L, 96h	Photobacterium	EC50 = 28.9
	mg/L/48h	static (Poecilia	phosphoreum: EC50	mg/L/48h
		reticulata) LC50: = 18	= 520 mg/L/5 min	
		mg/L, 96h flow-	Photobacterium	
		through (Lepomis	phosphoreum: EC50	
		macrochirus) LC50: =	= 670 mg/L/15 min	
		18 mg/L, 96h flow-	Photobacterium	
		through (Oncorhynchus	phosphoreum: EC50	
		mykiss) LC50: $= 71$	= 670 mg/L/30min	
		mg/L, 96h flow-		
		through (Pimephales		
		promelas)		
Ethyl	EC50 (72h) =	Fathead minnow	Photobacterium	EC50 = 9268
alcohol	275 mg/l	(Pimephales promelas)	phosphoreum:EC50	mg/L/48h
	(Chlorella	LC50 = 14200	= 34634 mg/L/30	EC50 =
	vulgaris)	mg/l/96h	min Photobacterium	10800
			phosphoreum:EC50	mg/L/24h
			= 35470 mg/L/5 min	

Persistence and Degradability Persistence is unlikely based on information available. Bioaccumulation/ Accumulation No information available. Mobility Will likely be mobile in the environment due to its volatility

Component	log Pow
Chloroform	2
Ethyl alcohol	-0.32

VB-3010 Nissl Stain Kit MSDS Page 14/17

13. Disposal Considerations

Waste treatment methods:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14. Transport Information

DOT		
	UN-No	UN1888
	Proper Shipping Name	CHLOROFORM
	Hazard Class	6.1
	Packing Group	III
TDG		
	UN-No	UN1888
	Proper Shipping Name	CHLOROFORM
	Hazard Class	6.1
	Packing Group	III
IATA		
	UN-No	UN1888
	Proper Shipping Name	CHLOROFORM
	Hazard Class	6.1
	Packing Group	III
IMDG/IMO		
	UN-No	UN1888
	Proper Shipping Name	CHLOROFORM
	Hazard Class	6.1
	Packing Group	III

15. Regulatory Information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Chloroform	X	Х	-	200-663-8	-		Х	X	Х	Х	X
Ethyl alcohol	Х	Х	-	200-578-6	-		Х	Χ	Х	Х	X

Legend:

- **X** Listed E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- **F** Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- **N** Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- **P** Indicates a commenced PMN substance R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule

VB-3010 Nissl Stain Kit MSDS Page 15/17

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b): Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Chloroform	67-66-3	>99	0.1

SARA 311/312

Hazard Categories

Acute Health Hazard: Yes **Chronic Health Hazard:** Yes

Fire Hazard: No

Sudden Release of Pressure Hazard: No

Reactive Hazard: No

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Chloroform	X	10 lb	X	X

Clean	A ir	A at

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Chloroform	X		-

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs		
Chloroform	10 lb 1 lb	10 lb		
C life in D it of This work and	This was dust contains the following proposition CE showings			

California Proposition 65 This product contains the following proposition 65 chemicals

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
Chloroform	67-66-3	Carcinogen Developmental	20 μg/day 40 μg/day	Developmental Carcinogen
Ethyl alcohol	64-17-5	Development (alcoholic beverages only)	2	Developmental Carcinogen

U.S. State Right-to-Know

Regulations

regulations	840			3	
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Chloroform	X	X	X	Х	X
Ethyl alcohol	X	X	X	X	X

U.S. Department of Transportation Reportable Quantity (RQ): Y

DOT Marine Pollutant: N

DOT Severe Marine Pollutant: N

VB-3010 Nissl Stain Kit MSDS Page 16/17

U.S. Department of Homeland Security

This product contains the following DHS chemicals:

Component	DHS Chemical Facility Anti-Terrorism Standard
Chloroform	15000 lb STQ

Other International Regulations

Mexico – Grade: No information available

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class: D1B Toxic materials
D2A Very toxic materials

16. Other Information

This information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of the material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

Copyright © 2016 GeneCopoeia, Inc. All rights reserved. No part of these pages may be used for any purpose other than personal use. Therefore, reproduction, modification, storage in a retrieval system or retransmission, in any form or by any means, for reasons other than personal use, is strictly prohibited without prior written permission.

VB-3010 Nissl Stain Kit MSDS Page 17/17