

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product code QP020
Product name RNAzol® RT RNA Isolation Reagent

Contact manufacturer

GeneCopoeia, Inc.

9620 Medical Center Drive, Suite 101
Rockville, MD 20850
USA

Phone: 301-762-0888
Toll free: 1-866-360-9531
Fax: 301-762-3888

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Phenol	108-95-2	30-60
Guanidine isothiocyanate	593-84-0	15-40
Ammonium thiocyanate	1762-95-4	7-13

Contact with acids or bleach liberates toxic gases. DO NOT ADD acids or bleach to any liquid wastes containing this product. We recommend handling all chemicals with caution.

3. HAZARDS IDENTIFICATION

GHS – Classification

Signal Word

DANGER



Health Hazards

Acute oral toxicity	Category 4
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 4
Skin corrosion/irritation	Category 1 B
Serious eye damage/eye irritation	Category 1
Specific target organ systemic toxicity (single exposure)	Category 3
Specific target organ systemic toxicity (repeated exposure)	Category 3

Health Hazards (continued)

Mutagenicity	Mutagenic category 2
--------------	----------------------

Physical hazards

Not hazardous

Hazard Statements

H314 - Causes severe skin burns and eye damage
H341 - Suspected of causing genetic defects
H373 - May cause damage to organs through prolonged or repeated exposure
H412 - Harmful to aquatic life with long lasting effects
H302 - Harmful if swallowed
H312 - Harmful in contact with skin
H332 - Harmful if inhaled
H335 - May cause respiratory irritation

Precautionary Statements

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P308 + P313 - IF exposed or concerned: Get medical advice/attention
P273 - Avoid release to the environment
P280 - Wear protective gloves/protective clothing/eye protection/face protection

Principle Routes of Exposure

Potential Health Effects

Eyes	Causes burns. Risk of serious damage to eyes. Corrosive to the eyes and may cause severe damage including blindness.
Skin	Causes burns. Possible risk of irreversible effects. Harmful in contact with skin. Irritating to skin and mucous membranes.
Inhalation	Harmful by inhalation.
Ingestion	Harmful if swallowed. Ingestion causes burns of the upper digestive and respiratory tracts. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Specific effects

Carcinogenic effects	Phenol has been classified by the International Agency for Research on Cancer (IARC) as not classifiable as to carcinogenicity to humans (Group 3).
Mutagenic effects	Not Applicable
Reproductive toxicity	Not Applicable
Sensitization	Not Applicable
Target Organ Effects	Skin Lungs Liver Spleen

Kidney

HMIS

Health	3 * Chronic Hazard
Flammability	1
Reactivity	0

4. FIRST AID MEASURES

Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air. Call a physician or poison control center immediately.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Dry chemical. Carbon dioxide (CO2). Water spray. Foam.
Special protective equipment for firefighters	Wear self-contained breathing apparatus and protective suit.
Australia HazChem Code	2X

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Use personal protection equipment. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.
Methods for cleaning up	Prevent product from entering drains. Soak up with inert absorbent material. Neutralize spill with slaked lime, sodium bicarbonate or crushed limestone. Collect powdered material and deposit in sealed containers and dispose of phenol as hazardous waste. Isolate area and deny entry.
<u>Environmental precautions</u>	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system.

See Section 12 for more information

7. HANDLING AND STORAGE

Handling

Always wear recommended Personal Protective Equipment. Avoid contact with skin, eyes or clothing. Remove all sources of ignition.

Storage

Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Protect from sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

Chemical name	OSHA PEL	OSHA PEL (Ceiling)	ACGIH OEL (TWA)	ACGIH OEL (STEL)
Phenol	5 ppm 19 mg/m ³	None	5 ppm	None
Guanidine isothiocyanate	None	None	None	None
Ammonium thiocyanate	5 mg/m ³	None	None	None

Engineering measures

Use in a chemical fume hood

Personal protective equipment

Personal Protective Equipment requirements are dependent on the user institution's risk assessment and are specific to the risk assessment for each laboratory where this material may be used.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment

Respirator

Up to 50 ppm

**Recommendations, National
Institute of Occupational
Safety and Health, U.S.**

(APF = 10) Any air-purifying half-mask respirator with organic vapor cartridge(s) in combination with an N95, R95, or P95 filter. The following filters may also be used:

N99, R99, P99, N100, R100, P100.

(APF = 10) Any supplied-air respirator

Up to 125 ppm:

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode.

(APF = 25) Any powered air-purifying respirator with an organic vapor cartridge in combination with a high-efficiency particulate filter.

Up to 250 ppm:

(APF = 50) Any air-purifying full-facepiece respirator equipped with organic vapor cartridge(s) in combination with an N100, R100, or P100 filter.

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister having an N100, R100, or P100 filter.

(APF = 50) Any powered, air-purifying respirator with a tight-fitting facepiece and organic vapor cartridge(s) in combination with a high-efficiency particulate filter.

(APF = 50) Any self-contained breathing apparatus with a full facepiece.

(APF = 50) Any supplied-air respirator with a full facepiece.

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus.

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister having an N100, R100, or P100 filter. /Any appropriate escape-type, self-contained breathing apparatus.

Hand protection

Impervious gloves. S24 - Avoid contact with skin. S36 - Wear suitable protective clothing.

Eye protection

Tight sealing safety goggles.

Skin and body protection

Impervious clothing.

Hygiene measures

Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes or clothing. Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure

Controls

Prevent product from entering drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

General information

Form

Liquid.

Appearance

Red, maroon.

Odor

Medicinal, sweet, tar-like.

Boiling point/range

°C No data available °F No data available

Melting point/range

°C No data available °F No data available

Flash point

°C No data available °F No data available

Autoignition temperature

°C No data available °F No data available

Oxidizing properties

No information available

Water solubility

Soluble

10. STABILITY AND REACTIVITY

Stability

Stable under normal conditions.

Materials to avoid

Strong oxidizing agents. Strong acids. Isocyanates. Heat. Nitriles, Nitrides. Alkaline earth metals. Strong oxidizers, alkali metals and alkaline earth metals may cause fires or explosions.

Hazardous decomposition

Toxic gas. Sulphur oxides. Hydrogen cyanide (hydrocyanic acid). Carbon oxides,

Products

Nitrogen Oxides.

Polymerization

Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical name	LD50 (oral, rat/mouse)	LD50 (dermal, rat/rabbit)	LC50 (inhalation, rat/mouse)
Phenol	= 317 mg/kg (Rat)	No data available	=316mg/m3(Rat)
Guanidine isothiocyanate	571 mg/kg	2000 mg/kg	5.319 mg/L (4H)

Ammonium thiocyanate	= 500 mg/kg (Rat)	No data available	No data available
----------------------	-------------------	-------------------	-------------------

Principle Routes of Exposure

Potential Health Effects

Eyes	Causes burns. Risk of serious damage to eyes Corrosive to the eyes and may cause severe damage including blindness.
Skin	Causes burns. Possible risk of irreversible effects Harmful in contact with skin. Irritating to skin and mucous membranes.
Inhalation	Harmful by inhalation
Ingestion	Harmful if swallowed Ingestion causes burns of the upper digestive and respiratory tracts Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea
Carcinogenic effects	Phenol has been classified by the International Agency for Research on Cancer (IARC) as not classifiable as to carcinogenicity to humans (Group 3).
Mutagenic effects	No information available.
Reproductive toxicity	No information available.
Sensitization	No information available.
Target organ effects	Skin. Lungs. Liver. Spleen. Kidney.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Chronic aquatic toxicity	Category 3
Mobility	See log Pow
Biodegradation	Inherently biodegradable
Bioaccumulation	No information available

Chemical name	Freshwater algae data	Water flea data	Freshwater fish species data	Microtox data	Log Pow
Phenol	Desmodesmus subspicatus EC50 187 - 279 mg/L (72 h) Pseudokirchneriella subcapitata EC50 46.42 mg/L (96 h)	Daphnia magna EC50 4.24 - 10.7 mg/L (48 h) Daphnia magna EC50 10.2 - 15.5 mg/L (48 h)	=316mg/m3(Rat)		logPow1.47

13. DISPOSAL CONSIDERATIONS

Dispose of contents/containers in accordance with local regulations.

14. TRANSPORT INFORMATION

IATA

Proper shipping name	Corrosive liquid, n.o.s. (guanidine thiocyanate-phenol solution).
Hazard Class	8
Subsidiary class	None
Packing group	II
UN-No	1760
ERG Code	153

15. REGULATORY INFORMATION

Component	TSCA
Phenol, 108-95-2 (30-60)	Listed
Guanidine isothiocyanate, 593-84-0 (15-40)	Listed
Ammonium thiocyanate 1762-95-4 (7-13)	Listed

US Federal Regulations

SARA 313

This product contains the following toxic chemical(s) subject to the notification requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986. This law requires certain manufacturers to report on annual emissions of specified chemicals and chemical categories. Please note that if you repackage, or otherwise redistribute, this product to industrial customers, a notice similar to this one should be sent to those customers:

Chemical name	CAS-No.	Weight %	SARA 313-Threshold values
Phenol	108-95-2	30-60	1.0
Ammonium thiocyanate	1762-95-4	7-13	1.0

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:

Component	CAS-No.	Weight %	HAPS data
Phenol	108-95-2	30-60	Present
Ammonium thiocyanate	1762-95-4	7-13	Present (XCN where X=H or any other group where a formal dissociation may occur. For example KCN or Ca[CN]2)

US state regulations

Chemical name	Massachusetts -RTK	New Jersey-RTK	Pennsylvania-RTK	Illinois-RTK	Rhode Island-RTK
Phenol	Listed	Listed	Listed	Listed	Listed
Guanidine isothiocyanate	-	-	-	-	-
Ammonium thiocyanate	Listed	-	Listed	Listed	Listed

California Proposition 65

This product does not contain any Proposition 65 chemicals.

WHMIS Hazard Class

D1A - Very toxic materials
E - Corrosive material



This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Reason for revision Not Applicable. SDS sections updated.

For research use only.

"The above information was acquired by diligent search and/or investigation and the recommendations are based on prudent application of professional judgment. The information shall not be taken as being all inclusive and is to be used only as a guide. All materials and mixtures may present unknown hazards and should be used with caution. Since the Company cannot control the actual methods, volumes, or conditions of use, the Company shall not be held liable for any damages or losses resulting from the handling or from contact with the product as described herein.

THE INFORMATION IN THIS SDS DOES NOT CONSTITUTE A WARRENTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PUPOSE"

End of Safety Data Sheet